



PRODUCTS CATALOGUE 2017



ANNO 1999



OUR COORDINATES



UAB „TRIJŲ ARTELĖ“
Topolių g. 6,
LT56336 Rumšiškės
Kaišiadorių r.
Lithuania

T: +370 37 750 700
F: +370 37 750 701
E: info@hansaflame.com
www.hansaflame.com

ABOUT HANSA

Company was founded in Lithuania in 1999 with help of German partners. Company started production and offered for local market its first accessories to use with heating appliances. All the production was based on German experience and traditions. It was very advanced step since local market was not so much familiar with the latest heating technologies and had no such products made locally.

TEAM

During 17 years of activity experience has grown up and number of HANSA team members has increased. However company members still like to describe themselves as small and very enthusiastic team – burning in every-day search for innovations.

TECHNOLOGY

Only the newest and most advanced technologies that meet the global standards and ensure high quality of products are used for HANSA researches, development and production.

ECOLOGY

Exhaustive researches allow HANSA to offer only responsibly selected products, produced exclusively from environmentally-friendly materials. Usage of these products not only causes no harm to environment, but often helps to reduce pollution in living environment.

PRODUCTS


In our days of fast evolution of high technologies HANSA focuses in creation of innovative and high quality products to match lifestyle and comfort needs of a modern person. Every new idea, research and step HANSA makes is because of its customers. Each product must be effective, understandable and easy to use by any user regardless his experience. Sincere work in this field resulted that range of company products today is far beyond the boundaries of accessories for heating devices. And sale points of the products long ago crossed borders of Lithuanian market. Now HANSA products are well known in many European countries.

IDEA & MISSION

Years passed and the range of company products and number of customers significantly expanded. But fundamental values as German work tradition, innovation in production, high quality products and attitude to customer needs was never abandoned. So the mission remains the same: production of innovative, modern, high quality products, to accomplish stringent safety requirements and high environmental protection standards.




CONTENT



STOVE ACCESSORIES 6



CHIMNEY CLEANING 14



GLASS CLEANING 22



MAINTENANCE & REPAIRING 28



FIREPLACE TOOLS 32



LOG BASKETS 38



STOVE SCENTS & OTHER ACCESSORIES 42



NEWS 48



WARRANTY
24 months



ULTRA
LOW START
50° C
AIR CIRC
350 CFM




SIROCCO
ONE FOR ALL STOVES

-  **SMALL INVESTMENT**
-  **FAST RENTABILITY**
-  **HIGH BENEFITS**
-  **ALL MOUNTING OPTIONS**


SIROCCO




SIROCCO PLUS



SIROCCO FIX





4779022360589



MOUNTING ON THE DOORS OF FIREPLACE



4779022360817



MOUNTING ON THE CHIMNEY OF STOVE



4779022360817



DESIGN

LOW CENTRE OF GRAVITY Due to its low centre of gravity, Sirocco fan can be steadily and securely positioned with different types of stove.

BLACK FRAME Black colour of the fan perfectly matches with different colours of stoves.

ALUMINUM COLOUR BLADES Aluminum colour fan blades can be easily noticed when rotating.

ADVANTAGES

FOR ALL STOVES Can be used with all types of stoves: cast iron, stainless steel, tile or stone.

OPERATES WITHOUT NOISE

UP TO 30% MORE HEAT Sirocco fan allows heating room up to 30% faster.

UP TO 20% LESS FUEL CONSUMPTION Sirocco fan allows saving up to 20% of stove fuel.

TECHNOLOGY

FREE OPERATION No need to use batteries or power cords; operates by using thermal energy.

READY TO USE You only need to unpack and put onto a stove.


OPERATES FROM 50°C. Operation starts within 1min., when stove surface heats up to 50°C.

WITH ADJUSTABLE SCREW LEGS Sirocco can be used on uneven surface or oblique stoves.

SIROCCO

HISTORY The word Sirocco comes from a Mediterranean region where it is known as a strong warm southern or south-easterly wind. It is formed when the hot air of Saharan dessert moves across the Mediterranean and mixes with the cooler air of Europe thus creating counter clockwise circulation across the Med.

1.5 KG WEIGHT	REDUCED WEIGHT		REQUIRED NO ELECTRICITY	START 50°C	AUTOSTART
24 MONTHS WARRANTY	EU VALID WARRANTY	350 m ³ /h	MORE POWER	MADE IN EU	EU ORIGIN OF GOODS





Stove thermometer is designed to set combustion mode in heating units with single-layer metal chimney. Ideally, the stove thermometer should be installed in eye-level height, at least in 30cm distance from heating unit. If the stove thermometer is installed on stainless-steel chimney, you must choose the proper location and attach the stove thermometer using the supplied specific screw. If the stove thermometer is installed on stainless-steel chimney.

FEATURES

-  FUEL CONSUMPTION
-  MORE EFFICIENT STOVE
-  MOUNTED WITH MAGNET
-  INCREASED STOVE LIFESPAN
-  REDUCED FIRE HAZARD



4779022360565


Moisture Meter easily detects hidden leaks in wood, concrete, plaster and carpet. Providing accurate moisture level readings make this moisture meter great for new home inspections, locating roof leaks or even selecting dry lumber at the yard. Ideal to use in woodworking, building construction, agriculture restoration and floor-laying. Used to check wood, drywall and concrete before painting, sealing or treating and locate and identify water leaks in roofs, floors and walls.

FEATURES

-  HANDHELD
-  LOW BATTERY INDICATOR
-  INTERNAL MEMORY
-  LCD SCREEN
-  AUTO POWER OFF




4779022360633




TORNADO

It is easy to assemble, reliable and durable set for cleaning chimneys. It lets you quickly and easily clean the chimney yourself. Carefully tending the flue system and periodical use of Tornado, you will increase the efficiency of the stove and protect your home from the threat of chimney fire.



PURPOSE


For cleaning of flues and chimneys. The rotary brush TORNADO works by connecting the rods to any electrical drill. A chimney pipe of any length can be easily cleaned from the bottom. Using this rotary chimney cleaning kit TORNADO, you can do the job quickly and efficiently.



1 Take one rod and attach the brush. To do this, click on the button at the end of the button at the end of the rod and insert the rod into the brush. Make sure that the handle and the brush is securely fastened.




2 The bristle brushes and rods are made from nylon, making very durable, elastic and chemically resistant.



3 Nylon bristles give TORNADO strength and durability. The nylon rods have a great degree of flexibility, making them perfect for getting through tough flue bends.



4 Attach the drill to the end of the last rod and slowly push the rods up the chimney. After cleaning first section of chimney turn off the drill, without pulling the rod and repeat the procedure until you reach the top. Then after reaching the top of the chimney switch the drill to rotate in the opposite direction and pull the rods down and out. Bristle movement in the opposite direction will help clean hard to reach areas.



5 TORNADO - it is easy to assemble, reliable and durable set for cleaning chimneys. It lets you quickly and easily clean the chimney yourself.




ROTARY
sweeping **POWER**



4779022360596

UNIVERSAL CHIMNEY BRUSH



PURPOSE



For cleaning of flues and chimneys. Suitable for any diameter and lengths chimneys and flues made of metal and bricks. Also suitable for curved chimneys and flues. It won't scratch internal walls of the chimney or flue. Diameter of the brush - 400 mm.

USE


Using this universal chimney cleaning brush is very simple. Thanks to its superb flexibility the brush is capable of passing through the narrowest openings and this enables you to clean the chimney by simply pushing it through the opening of the heating device. You definitely do not have to climb onto the roof!



4779022360558



FLEXIBLE RODS



PURPOSE

For cleaning of flues and chimneys. Suitable for any diameter and lengths chimneys and flues made of metal and bricks. Also suitable for curved chimneys and flues. It won't scratch internal walls of the chimney or flue. Length of flexible rod - 100 cm. There are 6 pcs. of rods in a packaging.



FLEXIBLE ROD SIZES



- length 1.0 m x 1 pc. 4779022360831
- length 1.4 x 1 pc. 4779022360848
- length 1.0 x 6 pcs. 4779022361012
- length 1.4 x 6 pcs. 4779022361029



During combustion process in a fireplace, firestove or any other heating device soot, creosote and water vapours are released together with smoke. Water vapours “glues” soot at creosote together and prevents them from burning away. Because of heavy weight these sticky particles of tars cannot be removed together with smoke, therefore they settle on parts of heating device and chimney, thus forming tar deposits. Even a small amount of deposits inhibits normal functioning of the device, reduces its efficiency, accelerates wearing out, induces corrosion of parts, and can even start fire in the chimney.

Efficient cleaners for cleaning and maintenance of flues, chimneys and solid fuel appliances. Soot removers consist of a mix of special crystals. Some of its components catalytically affect the process of burning of firewood – decompose the tars present in wood into combustible gas. Other components at high temperatures release gases that react with tar deposits and destroy their structure. This weakens the bonding to chimney surface and the deposits fall down or are carried out with the chimney gasses.

STAGES OF CLEANING EFFECT



1 Parts of the heating device in use and chimney get a layer of tar deposits.



2 HANSA SOOT REMOVER covers the layer of these dangerous deposits with active gases.



3 The active gases dry out the creosote/tar deposits, this weakens the bonding to chimney surface.




4 Cleaning effect of the soot remover lasts for several days.


TYPES OF FUEL




WOOD




COAL




WOOD PELLETS




CHIMNEYS & FLUES



SOLID COOKERS



WOOD BURNING & GASIFICATION STOVES



OPEN & CLOSED TYPE FIREPLACES

BEST USE WITH

CONCENTRATED SOOT REMOVER 1 KG



PURPOSE

For cleaning and maintenance of flues, chimneys and solid fuel appliances.

USE: Pour 1 or 2 scoops into the heating device before lighting it. For the first few times it is recommended to use this substance each time when starting fire. After ten times it is advised to use this substance every 4th-5th fire.



4779022360183

TYPES OF FUEL



BEST USE WITH



CONCENTRATED SOOT REMOVER 500 GR



PURPOSE

For cleaning and maintenance of flues, chimneys and solid fuel appliances.

USE: Pour 1 or 2 scoops into the heating device before lighting it. For the first few times it is recommended to use this substance each time when starting fire. After ten times it is advised to use this substance every 4th-5th fire.



4779022360763

TYPES OF FUEL



BEST USE WITH



CONCENTRATED SOOT REMOVER 500 GR 10 BAGS BY 50 GR



PURPOSE

For cleaning and maintenance of flues, chimneys and solid fuel appliances.

USE: Pour 1 or 2 bags into the heating device before lighting it. For the first few times it is recommended to use this substance each time when starting fire. After ten times it is advised to use this substance every 4th-5th fire.



4779022360176

TYPES OF FUEL



BEST USE WITH



SOOT REMOVER 1 KG

PURPOSE

For cleaning and maintenance of flues, chimneys and solid fuel appliances.

USE: Add a full tablespoon of soot remover into a hot heating device, putting it directly into an open fire or add a spoonful of soot remover prior kindling your heating device. If necessary, following the same procedure, after 30 minutes add the second portion of soot remover. A full tablespoon of soot remover is sufficient for 6-8 kg of fuel. If the fuel is dry, you need smaller amount of soot remover, and if the fuel is damp, more soot remover should be used. Proper time for adding the second dose of soot remover is when soot deposits begin to show on the previously cleaned with soot remover door and internal walls of your heating device.



4779022360589

TYPES OF FUEL



BEST USE WITH



CONCENTRATED CHIMNEY SWEEPING LOG 1.1 KG



PURPOSE

For cleaning and maintenance of flues, chimneys and solid fuel appliances.

USE: Take the HANSA CHIMNEY SWEEPING LOG out of the box, but do not unwrap from the paper packaging. Place it inside the heating appliance. Light both sides of paper wrapper and let it burn. Use on average every 30 days.



4779022360237

TYPES OF FUEL



BEST USE WITH



PURPOSE

This is an effective and harmless way to keep your wood pellet appliance clean. The Cleaner contains a special blend of crystals, which, whilst burning, releases materials that affect the active catalytic combustion process and dissolves even the smallest emerging resin derivatives. The Pellet Stove's parts will remain clean and ensure the efficient operation of it. Regular use of the cleaner mixed with your pellets will best efficiency which will prolong its life and decrease your heating costs while ensuring a safer burn.

USE: Pour 1 kg of wood pellet soot remover into fuel chamber of the device that uses wood pellets for burning.

MAINTENANCE: Pour 250 g of wood pellet soot remover into fuel chamber of the device that uses wood pellets for burning, do this each time after 200 kg of fuel has been burnt.



4779022360497

PELLET STOVE CLEANER 1 KG



TYPE OF FUEL



CONCENTRATED SOOT REMOVER 500 GR 10 BAGS BY 50 GR



PURPOSE

For cleaning and maintenance of flues, chimneys and solid fuel appliances.

USE: Pour 1 or 2 bags into the heating device before lighting it. For the first few times it is recommended to use this substance each time when starting fire. After ten times it is advised to use this substance every 4th-5th fire.



4779022360176

TYPES OF FUEL



BEST USE WITH



SOOT REMOVER 1 KG

PURPOSE

For cleaning and maintenance of flues, chimneys and solid fuel appliances.

USE: Add a full tablespoon of soot remover into a hot heating device, putting it directly into an open fire or add a spoonful of soot remover prior kindling your heating device. If necessary, following the same procedure, after 30 minutes add the second portion of soot remover. A full tablespoon of soot remover is sufficient for 6-8 kg of fuel. If the fuel is dry, you need smaller amount of soot remover, and if the fuel is damp, more soot remover should be used. Proper time for adding the second dose of soot remover is when soot deposits begin to show on the previously cleaned with soot remover door and internal walls of your heating device.



4779022360589


TYPES OF FUEL



BEST USE WITH



"VITAMINS" FOR SOLID FUEL 1 KG 50 BAGS BY 20 GR



PURPOSE

For cleaning and maintenance of flues, chimneys and solid fuel appliances.

USE: Pour 1 or 2 scoops (see table) into the heating device before lighting it. For the first few times it is recommended to use this substance each time when starting fire. After ten times it is advised to use this substance every 4th-5th fire.



4779022360367

TYPES OF FUEL




BEST USE WITH






Burning wood or coal creates soot and creosote. These substances can deposit on the inner side of the stove glass window. These sticky deposits then attract ash particles that are moving around in combustion air flow, thus covering the glass with another layer of deposits. Now the inside of the glass is covered with a grey film, which not only prevents the penetration of light from the stove, but also hinders the heat distribution into the room. Over time this decreases the stability of the glass to sudden temperature changes and the layer of ash can lead to the elimination of scratch-resistant coating on the glass.



Stove glass is covered with a layer of soot, creosote and ash.



Glass cleaner penetrates deep into the burnt-on layer and dissolves it without scratching the surface of the glass



The glass cleaner leaves behind a protective layer of film which prevents further ash and soot deposits.

STOVE GLASS CLEANER ULTIMATE 500 ML



ULTIMATE

PURPOSE

For cleaning of carbon deposits, soot and other contaminants from the glass doors of fireplaces and stoves without scratching.

USE

Shake the bottle well. The surface to be cleaned should be cold. Evenly spray on the inner surface of the glass. Attention: avoid contact with polished, plastic, aluminum or chrome surfaces. Allow 3-5 minutes for product to work. Wipe the glass clean with a cloth or a HANSA glass cleaning sponge. Repeat above steps until surface is completely clean.



4779022360152

STOVE GLASS CLEANER ECO FRIENDLY 500 ML FOAMING




4779022360626

PURPOSE

For cleaning of carbon deposits, soot and other contaminants from the glass doors of fireplaces and stoves without scratching. This is our new stove glass cleaner and it doesn't contain any skin irritating substances, so you won't need gloves next time you clean your stove glass. HANSA stove glass cleaner is also biodegradable and safe to the environment.

USE

Shake the bottle well. The surface to be cleaned should be cold. Evenly spray on the inner surface of the glass. Allow 3-5 minutes for product to work. Wipe the glass clean with a cloth or a HANSA glass cleaning sponge. Repeat above steps until surface is completely clean.



STOVE GLASS CLEANER ULTIMATE 1000 ML



ULTIMATE

PURPOSE

For cleaning of carbon deposits, soot and other contaminants from the glass doors of fireplaces and stoves without scratching.

USE

Shake the bottle well. The surface to be cleaned should be cold. Evenly spray on the inner surface of the glass. Attention: avoid contact with polished, plastic, aluminum or chrome surfaces. Allow 3-5 minutes for product to work. Wipe the glass clean with a cloth or a HANSA glass cleaning sponge. Repeat above steps until surface is completely clean.



4779022361227

STOVE GLASS CLEANER 500 ML FOAMING AEROSOL

FOAMING




4779022360169

PURPOSE

For cleaning of carbon deposits, soot and other contaminants from the glass doors of fireplaces and stoves without scratching. This cleaner is foaming and it does not run off the glass.

USE

Shake the bottle well. The surface to be cleaned should be cold. Evenly spray on the inner surface of the glass. Attention: avoid contact with polished, plastic, aluminum or chrome surfaces. Allow 3-5 minutes for product to work. Wipe the glass clean with a cloth or a HANSA glass cleaning sponge. Repeat above steps until surface is completely clean.





PURPOSE


Rough side is made from a special plastic. Bristles are sharp enough to remove a thin, newly appeared layer of soot and same time they are soft to the glass surface to not leave scratches. By the way, plastic bristles is resistant to moisture, so sponge staying free of rust for a long time.

USE

Ensure stove glass is cold before cleaning. Take a sponge in rough side and in slow movements clean the glass until completely remove soot deposits from the glass surface.



4779022360411






WET CLEANING

PURPOSE

Soft side is made of special cellulose. It's resistant to the detergent containing active substances contained in it long remain durable. In addition, it is a large internal volume and extremely strong absorptive power. It's therefore perfectly absorbs dirt on the glass without leaving residue of soot or detergent deposits.

USE


The HANSA Glass Cleaning Sponge is specially designed to be used in conjunction with the Hansa Stove Glass Cleaner. Ensure stove glass is cold before cleaning. Evenly spray the Stove Glass Cleaner on the inner surface of the glass. Allow 3-5 minutes for product to work. Wipe clean with a damp HANSA Glass Cleaning Sponge. Repeat the above steps as necessary until surface is completely clean.





EXTREMELY HEAT RESISTANT
800°C
UP TO 800°C

USE
Clean and degrease the area for painting. Shake the can for about 1 minute until agitator balls move freely. Before use spray test on paper. During the spraying keep a distance of 20-30 cm away from the surface to be painted. During prolonged spraying shake the can from time to time. For best results apply several times. Drying time 20-30 minutes. After use clear the nozzle by turning the can upside down and spraying the paint clear.



EXCELLENT FOR PAINTING STAINLESS STEEL!

AVAILABLE COLOURS

	990 WHITE		902 GREEN METALLIC		980 WHITE COFFEE
	901 BLUE METALLIC		996 SILVER		960 BROWN
	991 RED		930 ANTHRACITE		993 DARK BROWN
	994 GREY BROWN		910 BLACK		903 GREY BROWN METALLIC
	997 BRONZE		970 GREY		937 DARK ANTHRACITE
	950 BLACK ANTHRACITE				

HEAT RESISTANT PAINT "HANSA" CAN BE USED ON THE FOLLOWING



FIREPLACES



STOVE



STAINLESS STEEL



CHIMNEY FLUES



BBQ



4779022360138

PROTECTIVE VARNISH 400 ML AEROSOL


PURPOSE

Hansa heat resistant protective satin varnish is an easily applicable spray varnish for stoves, fireplaces, chimneys and fireplaces stones. When dry, this varnish forms slightly satin, thin yet extremely strong protective layer, which protects heating devices against stains, scratches and wear, while also enhancing the colour and structure. Hansa protective varnish is heat resistant up to 450°C.

USE

Clean and degrease the area for varnishing. Shake the can for about 1 minute until agitator balls move freely. Protective varnish is compatible with Hansa paints, before use with other manufacturers paints, spray a test shot onto little visible place. During the spraying keep a distance of 20-30 cm away from the surface to be varnished. During prolonged spraying shake the can from time to time. Then leave to dry and after which a second layer can possibly be applied, for best result. After use clear the nozzle by turning the can upside down and spraying the varnish clear.

One can is sufficient from 5 m² up to 13 m², depends from layer thickness.



HEAT RESISTANT ZINC 400 ML AEROSOL

PURPOSE

The best way to prevent rust is to coat metal with a anti-corrosive coating. Zinc is the best material for the job, its resistance to salt and water corrosion is renowned. By coating metal with zinc, you will prolong the life of any metal object.

USE

Clean and degrease the are for painting. Shake the can for about 1 minute until agitator balls move freely. Before use spray test on paper. During the spraying keep a distance of 20-30 cm away from the surface to be painted. During prolonged spraying shake the can from time to time. For best results apply several times. Drying time 20-30 minutes. After use clear the nozzle by turning the can upside down and spraying the paint clear.



4779022360336



SMOKE CAPSULES FOR CHIMNEY DRAUGHT AND SEWERAGE CHECKS

PURPOSE

Smoke capsules are intended for checking of:
chimney draughts and/or leak-proof
air ventilation draught and/or sealing
fire protection detectors performance
sewerage, drainage and storm water run pipe performance reliability.



4779022360619

USE

Put smoke capsule upright on heat resistant surface. Ignite the capsule and wait until smoke will start erupting from it. When the capsule burns down, it blows.



CERAMIC FIBRE STOVE ROPE 2,5 m

PURPOSE

Heat resistant gasket for the doors of stoves, ovens and other heating devices. Heat resistance properties of the rope can withstand temperatures up to 850C. Anthracite colour goes well with the typical dark color stoves. Tight weave provides a rigid structure and a long reliable service life.

USE

Clean and degrease the area for gluing. Put a little bit of glue where you need to glue the ceramic rope. Press the ceramic rope into place. Glue becomes dry after 6 - 12 hours. Do not use the stove until the glue has dried.



AVAILABLE IN THICKNESS

6mm	4779022360459	8mm	4779022360466
10mm	4779022360473	10mm STICKY	4779022360480
12mm	4779022360695		



HEAT RESISTANT GLUE 17 ML

PURPOSE

Heat resistant glue is suitable for gluing heat resistant ceramic ropes to the doors of stoves, ovens and other heating devices.



4779022360510

USE

Clean and degrease the area for gluing. Put a little bit of glue where you need to glue the ceramic rope. Press the ceramic rope into place. Glue becomes dry after 6 - 12 hours. Do not use the stove until the glue has dried.





The famous medieval European trade league HANSA was surprising the coevals with its trade volumes, power, and goals; and its glory had distantly surpassed the time of the league. The famous name still is known as the synonym of quality, reliability, and durability.

The inspiring activity of HANSA league instigated resurrecting from oblivion old traditions of guilds and, following the smithery experience of one of the most powerful in the old league – the region of Saxony – introduce the handmade wrought fireplace tools.

- Old traditions
- Handicraft
- Functionality
- Comfort
- Durability



VINTAGE FORGED IRON FIREPLACE TOOL SET



VINTAGE FORGED IRON FIREPLACE TOOL SET



PURPOSE
Vintage forged iron fireplace tool set is designed for those who appreciate classical forms, hand-made articles. Inspiration to design these tools came from old-times artisans and their creative daily work filled with hammer force and forge heat. Following standards, knowledges and traditions of old-times blacksmiths designed tools hold inside them the heat of a forge and cosy warmth of home. The tools are particularly tough, designed for long usage.



4779022360954



FORGED
STEEL



AGED
BRONZE

COLOUR



STAINLESS STEEL FIREPLACE TOOL SET



STAINLESS STEEL FIREPLACE TOOL SET

PURPOSE

Stainless steel fireplace tool set is designed for those who enjoy innovations, who are always in a hunt of new discoveries. The tools are made with creative scrupulousness and high precision. Their soft shape catches eye and leaves no doubts in trustworthiness. Remarkable combination of refinement of cold steel and functionality of warm wood give feeling of creativeness. The tools will serve well and will stay nice decoration of home for years.



COLOURS



MAHOGANY STAINLESS STEEL BRONZE STEEL


4779022360589



H1 GENUINE LEATHER LOG BASKET

PURPOSE


Made from 100% leather. These baskets are made from superior quality of raw material and are apt to be used by everyone.



H2 GENUINE LEATHER LOG BASKET

PURPOSE


Made from 100% leather. These baskets are made from superior quality of raw material and are apt to be used by everyone.



H3 GENUINE LEATHER LOG BASKET

PURPOSE

Made from 100% leather. These baskets are made from superior quality of raw material and are apt to be used by everyone.





C1 FAUX LEATHER LOG BASKET


PURPOSE
Made from FAUX leather. These baskets are made from superior quality of raw material and are apt to be used by everyone.

C2 FAUX LEATHER LOG BASKET

PURPOSE
Made from FAUX leather. These baskets are made from superior quality of raw material and are apt to be used by everyone.



4779022360916



4779022360923



UNIVERSAL LOG BASKET

PURPOSE
The two handles are easy to grip and the thoughtful design prevents logs from slipping out. You won't find a better way of keeping your fireplace supplied this winter.



4779022360930




UNIVERSAL LOG BASKET, ROUND

PURPOSE
The two handles are easy to grip and the thoughtful design prevents logs from slipping out. You won't find a better way of keeping your fireplace supplied this winter.



4779022360947




PURPOSE


The combination of this scent and burning fireplace / stove will saturate your home with fragrant warmth. The scent is long lasting and charming! The secret of unforgettable sensations: the aroma blooms in the warmth of a fireplace and together with this warmth spreads around in your home filling even the most remote corners.

USE:

Remove protective film.



Suspend scented sachet on cold air grilles of a fireplace.



Suspend scented sachet on the bottom of the stove rear side.



LONG LASTING AROMA



CINNAMON - ORANGE
4779022360879



VANILLA
4779022360886




MANGO
4779022360862



ROSE
4779022360909




LEVANDER
4779022360893



FRUIT PARADISE
4779022360855



ENJOY VIVID ENTERTAINMENT




THROW ENTIRE STICK INTO FIRE

PURPOSE

Flaming Rainbow is a unique new product that will add hours of enjoyment to any solid fuel fire! Everyone who enjoys a fire indoors and out, whether a campfire, a garden firepit or chimenea will love Flaming Rainbow. Turn any fire into a show of vibrant blue, green, purple and red. Delight your family, mystify your friends. Simply throw the entire stick into your fire and watch the transformation. Each pack will provide over half an hour of vivid entertainment.


FEATURES




COAL



WOOD



4779022360244




DON'T CUT

PURPOSE

Clean and quick way to start a fire. Our superior firelighters are quick and reliable solution that will make lighting your fire a pleasure. They have a strong and long burn time and are quick and easy to light. Great for using in wood burning stove, fireplaces and lighting bbq's. They can even be used in wet and windy weather, so great for camping too.

USE

Place one or few firelighters vertically in the fireplace. Surround and cover them with small pieces of solid fuel. Light the firelighter. If using firelighter with BBQ's, make sure the firelighters are fully burnt before cooking food.



PURPOSE

Clean and quick way to start a fire. Our superior firelighters are quick and reliable solution that will make lighting your fire a pleasure. They have a strong and long burn time and are quick and easy to light. Great for using in wood burning stove, fireplaces and lighting bbq's. They can even be used in wet and windy weather, so great for camping too.

USE

Place one or few firelighters vertically in the fireplace. Surround and cover them with small pieces of solid fuel. Light the firelighter. If using firelighter with BBQ's, make sure the firelighters are fully burnt before cooking food.



4779022360220

PURPOSE

Clean and quick way to start a fire. Our superior firelighters are quick and reliable solution that will make lighting your fire a pleasure. They have a strong and long burn time and are quick and easy to light. Great for using in wood burning stove, fireplaces and lighting bbq's. They can even be used in wet and windy weather, so great for camping too.

USE

Place one or few firelighters vertically in the fireplace. Surround and cover them with small pieces of solid fuel. Light the firelighter. If using firelighter with BBQ's, make sure the firelighters are fully burnt before cooking food.



4779022360435

PURPOSE

Clean and quick way to start a fire. Our superior firelighters are quick and reliable solution that will make lighting your fire a pleasure. They have a strong and long burn time and are quick and easy to light. Great for using in wood burning stove, fireplaces and lighting bbq's. They can even be used in wet and windy weather, so great for camping too.

USE

Place one or few firelighters vertically in the fireplace. Surround and cover them with small pieces of solid fuel. Light the firelighter. If using firelighter with BBQ's, make sure the firelighters are fully burnt before cooking food.



PURPOSE

Clean and quick way to start a fire. Our superior firelighters are quick and reliable solution that will make lighting your fire a pleasure. They have a strong and long burn time and are quick and easy to light. Great for using in wood burning stove, fireplaces and lighting bbq's. They can even be used in wet and windy weather, so great for camping too.

USE

Place one or few firelighters vertically in the fireplace. Surround and cover them with small pieces of solid fuel. Light the firelighter. If using firelighter with BBQ's, make sure the firelighters are fully burnt before cooking food.



4779022360268


HANSA leather gloves

Hansa leather gloves were designed for safe use of outdoor appliances (such as outdoor BBQs, indoor and outdoor fireplaces, stoves, and cookers). The gloves protect hands from exposure to heat and fire, and help to avoid burns. The gloves are made of buffalo suede, which is durable and features excellent insulating qualities. The surfaces of these gloves is rough: it is convenient for holding even slick objects. The inner lining is made of soft, pleasant to touch 100% cotton layer. The gloves are resistant to heat from 100 C° to 500 C°, for 15 seconds per one contact.



4779022361098

NEWS



GARDEN TORCH

Lights up, creates atmosphere of coziness and a bit of medieval spirit


HANSA garden oil torch with its classical look will perfectly fit with garden environment, outdoor plants and furniture. Stainless steel body makes the torch tough and durable.



GARDEN TORCH

GARDEN TORCH, H27
height 27 cm

Massive not slipping short leg keeps the torch on plane surface still. Therefore the torch is safe to use – it will not fall down even if strong wind blows.



Material: stainless steel
Colour: silver
Height: 27 cm
Weight: 350 g
Burning time: up to 8 hours




4779022361050



GARDEN TORCH, H115
height 115 cm

Long sharp leg stick the torch o lawn and keeps the torch still. Therefore the torch is safe to use - it will not fall down even if strong wind blows.



Material: stainless steel
Colour: silver
Height: 115 cm
Weight: 750 g
Burning time: up to 8 hours



4779022361067





HANSA

TOPOLIŲ G. 6,
LT56336 RUMŠIŠKĖS
KAIŠIADORIŲ R.
LITHUANIA

T: +370 37 750 700

F: +370 37 750 701

E: info@hansaflame.com

www.hansaflame.com

